


This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended): A compound of formula I



in which

$\text{R}^1$  is H, =O, COOR<sup>3</sup>, OH, OA, NH<sub>2</sub>, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N<sub>3</sub>, ethynyl, vinyl, allyloxy, -OCOR<sup>3</sup>, NHCOA or NHSO<sub>2</sub>A,

$\text{R}^2$  is H, =O, OH, OA or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms,

$\text{R}^1$  and  $\text{R}^2$  together can also be a spirocyclically bonded 3- to 6-membered carbocyclic ring,

$\text{R}^1, \text{R}^2$  are each, independently of one another, H, =O, Hal, A, ethynyl, OR<sup>3</sup>, N(R<sup>3</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, N<sub>3</sub>, COOR<sup>3</sup>, CON(R<sup>3</sup>)<sub>2</sub>, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Ar, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Het, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-cycloalkyl, -OCOR<sup>3</sup>, -OCON(R<sup>3</sup>)<sub>2</sub>, NR<sup>3</sup>COA or NR<sup>3</sup>SO<sub>2</sub>A,

$\text{R}^1$  and  $\text{R}^2$  together are alternatively a bicyclically or spirocyclically bonded 3- to 7-membered carbocyclic or heterocyclic ring having from 0 to 3 N, O and/or S atoms;

$\text{R}^3$  is H or A, is H, A, H C≡C-CH<sub>2</sub>-, CH<sub>3</sub>-C≡C-CH<sub>2</sub>-, CH<sub>2</sub>-CH(OH)-CH<sub>2</sub>OH, -CH<sub>2</sub>-CH(OH)-CH<sub>2</sub>NH<sub>2</sub>-, CH<sub>2</sub>-CH(OH)-CH<sub>2</sub>Het, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Ar, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Het, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-cycloalkyl, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-COOA or [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>N(R<sup>4</sup>)<sub>2</sub>;

$\text{R}^4$  is H or A,



is pyrrolidine-1,2-diyl, piperidine-1,2-diyl, oxazolidine-3,4- or 3,5-diyl, thiazolidine-3,4-diyl, 2,5-dihydro-1H-pyrrole-1,5-diyl, 1,3-dioxolane-4,5-diyl, 1,3-oxazinane-3,4-diyl, piperazine-1,4-diyl, tetrahydrofuran-3,4-diyl or

azetidine-1,2-diyl,

- W — is N, CR<sup>3</sup> or an sp<sup>3</sup> hybridised carbon atom;
- E — together with W is a 3–7 membered saturated carbocyclic or heterocyclic ring having from 0 to 3 N, from 0 to 2 O and/or from 0 to 2 S atom which optionally contains a double bond;
- D is phenyl, pyridyl or thienyl, which in each case is monosubstituted or disubstituted by Hal, a monocyclic or bicyclic, aromatic carbocyclic or heterocyclic ring having from 0 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted or polysubstituted by Hal, A, OR<sup>2</sup>, N(R<sup>2</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>2</sup> or CON(R<sup>2</sup>)<sub>2</sub>;
- G is (CH<sub>2</sub>)<sub>n</sub> or (CH<sub>2</sub>)<sub>n</sub>NH-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>NR<sup>2</sup>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>O-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>S- or [C(R<sup>4</sup>)=C(R<sup>4</sup>)]<sub>n</sub>-;
- X is CONH-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>CONR<sup>2</sup>[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>NR<sup>2</sup>CO[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>NR<sup>2</sup>[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>O[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>CO[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>- or [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COO[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-;
- Y is 1,3- or 1,4-phenylene which is unsubstituted or monosubstituted or disubstituted by methyl, trifluoromethyl, ethyl, propyl, Cl or F, alkylene, cycloalkylene, Het-diyl or Ar-diyl;
- T is morpholin-4-yl which is monosubstituted or disubstituted by carbonyl oxygen, a monocyclic or bicyclic, saturated or unsaturated carbocyclic or heterocyclic ring having from 0 to 4 N, O and/or S atoms which is monosubstituted or disubstituted by =O, =S, =NR<sup>2</sup>, =N-CN, =N-NO<sub>2</sub>, =NOR<sup>2</sup>, =NCOR<sup>2</sup>, =NCOOR<sup>2</sup> or =NOCOR<sup>2</sup> and which is optionally further monosubstituted, disubstituted or trisubstituted by R<sup>2</sup>, Hal, A, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Ar-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-Het-, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>-cycloalkyl, OR<sup>2</sup>, N(R<sup>2</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>2</sup>, CON(R<sup>2</sup>)<sub>2</sub>, NR<sup>2</sup>COA, NR<sup>2</sup>CON(R<sup>2</sup>)<sub>2</sub>, NR<sup>2</sup>SO<sub>2</sub>NR<sup>2</sup> and/or S(O)<sub>n</sub>A;
- A is unbranched or branched alkyl having 1-10 carbon atoms and in which 1-7 H atoms are each optionally replaced by F, unbranched or branched alkyl having 1-10 carbon atoms in which one or two CH<sub>2</sub> groups are each optionally replaced by O or S atoms and/or by CH=CH groups and/or in addition 1-7 H

atoms are each optionally replaced by F;

Ar — is phenyl, naphthyl or biphenyl, each of which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, OR<sup>3</sup>, N(R<sup>3</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>3</sup>, CON(R<sup>3</sup>)<sub>2</sub>, NR<sup>3</sup>COA, NR<sup>3</sup>CON(R<sup>3</sup>)<sub>2</sub>, NR<sup>3</sup>SO<sub>2</sub>A, COR<sup>3</sup>, SO<sub>2</sub>N(R<sup>3</sup>)<sub>2</sub>, S(O)<sub>n</sub>A, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COOR<sup>3</sup> or —O[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COOR<sup>3</sup>;

Ar' — is phenyl, naphthyl or biphenyl, each of which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, OR<sup>4</sup>, N(R<sup>4</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>4</sup>, CON(R<sup>4</sup>)<sub>2</sub>, NR<sup>4</sup>COA, NR<sup>4</sup>CON(R<sup>4</sup>)<sub>2</sub>, NR<sup>4</sup>SO<sub>2</sub>A, COR<sup>4</sup>, SO<sub>2</sub>N(R<sup>4</sup>)<sub>2</sub>, S(O)<sub>n</sub>A, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COOR<sup>4</sup> or —O[C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COOR<sup>4</sup>;

Het — is a monocyclic or bicyclic, saturated, unsaturated or aromatic heterocyclic ring having from 1 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>A, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>Het', [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>cycloalkyl, OR<sup>3</sup>, N(R<sup>3</sup>)<sub>2</sub>, NR<sup>3</sup>CON(R<sup>3</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>COOR<sup>3</sup>, [C(R<sup>4</sup>)<sub>2</sub>]<sub>n</sub>CON(R<sup>3</sup>)<sub>2</sub>, NR<sup>3</sup>COA, NR<sup>3</sup>SO<sub>2</sub>A, COR<sup>3</sup>, SO<sub>2</sub>NR<sup>3</sup>, S(O)<sub>m</sub>A and/or carbonyl oxygen;

Het' — is a monocyclic or bicyclic, saturated, unsaturated or aromatic heterocyclic ring having from 1 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted or disubstituted by carbonyl oxygen, =S, =N(R<sup>4</sup>)<sub>2</sub>, Hal, A, OR<sup>4</sup>, N(R<sup>4</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>4</sup>, CON(R<sup>4</sup>)<sub>2</sub>, NR<sup>4</sup>COA, NR<sup>4</sup>CON(R<sup>4</sup>)<sub>2</sub>, NR<sup>4</sup>SO<sub>2</sub>A, COR<sup>4</sup>, SO<sub>2</sub>NR<sup>4</sup> and/or S(O)<sub>n</sub>A;

Hal is F, Cl, Br or I, and

n is 0, 1 or 2, and

e — is 1, 2 or 3;

or a and pharmaceutically usable prodrug derivative, solvate, salt, or stereoisomer thereof, including mixtures thereof in all ratios,

wherein said pharmaceutically usable prodrug derivative is a compound of formula I which has been modified with an alkyl group, acyl groups, sugar, oligopeptide, or biodegradable polymer and which is cleavable to form a compound of formula I.

2. (Cancelled):

3. (Cancelled);
4. (Cancelled);
5. (Cancelled);
6. (Cancelled);
7. (Cancelled);
8. (Cancelled);
9. (Cancelled);
10. (Cancelled);
11. (Cancelled);
12. (Cancelled);
13. (Cancelled);
14. (Cancelled);
15. (Cancelled);
16. (Cancelled);
17. (Cancelled);
18. (Cancelled);

19. (Cancelled):

20. (Cancelled):

21. (Cancelled):

22. (Cancelled):

23. (Currently Amended): A compound according to Claim 1, wherein said compound is selected from:

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-trifluoromethyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-piperidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-chloro-4-(3-oxomorpholin-4-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(4R,5R)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[3-chloro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(S)-1,1-dioxo-1λ<sup>6</sup>-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-1,1-dioxo-1λ<sup>6</sup>-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-thiazolidine-3,4-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

N-[4-(2-oxo-2H-pyridin-1-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[3-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxopyrazin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-acetaminopyrrolidine-1,2-dicarboxamide,



1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-propoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl isobutyrate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl propionate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl acetate,

4-N-[(4-chlorophenyl)]-5-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,

~~4-N-[(4-chlorophenyl)]-5-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,~~

4-N-[(4-chlorophenyl)]-5-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

~~4-N-[(4-chlorophenyl)]-5-N-{{[4-(2-oxo-1H-pyridin-1-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,~~

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1-BOC-piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1,3-oxazinan-3,4-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,

6-N-[(4-chlorophenyl)]-7-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-4-oxa-6-azaspiro[2.4]heptane-6,7-dicarboxamide,

1-N-[(6-chloropyridin-3-yl)]-2-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(6-chloropyridin-3-yl)]-2-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-butylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-4-oxopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(S)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[2-(4-chlorophenyl)acetyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(4-chlorobenzoyl)-4-hydroxypyrrolidine-2-carboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-(2-methylpropanoylamino)pyrrolidine-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(1-1H-indol-3-ylmethanoyl)-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(1-1H-indol-6-ylmethanoyl)-4-hydroxypyrrolidine-2-carboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyridin-1-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyridin-1-yl)phenyl]]-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-4,4-difluoro-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,

2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(S)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-3-methoxy-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-3-methoxy-2H-pyridin-1-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide;

N-(4-chlorophenyl)-(R)-1-[2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl]pyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(S)-1-[2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl]pyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2R,4R)-1-[2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl]-4-methoxypyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2R,4S)-1-[2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl]-4-methoxypyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2S,4R)-1-[2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl]-4-methoxypyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(S)-1-[2-[4-(2-oxo-1H-pyridin-1-yl)phenyl]acetyl]pyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(S)-1-[2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetyl]pyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(R)-1-[2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetyl]pyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)phenyloxy]carbonylpyrrolidine-2-carboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(but-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-hydroxy-3-pyrrolidin-1-ylpropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-oxooxazolidin-5-ylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(3-amino-2-hydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyrazin-1-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyridin-1-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-methoxycarbonyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-carboxy-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,3S,4R)-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4S)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-(methoxycarbonylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-(carboxymethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-bromophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[N-methoxycarbonylmethyl-N'-[4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)cyclohexan-1-yl]}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-iminopyrrolidin-1-yl)phenyl]}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(2-iminopyrrolidin-1-yl)phenyl]}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-4-{2-[(E)-cyanimino]imidazolidin-1-yl}phenyl}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-imino-5-methylthiazol-3-yl)phenyl]}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[2-aminocarbonyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxy-2-methylpyrrolidine-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-thiophen-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(2E,4E)-5-phenylpenta-2,4-dienyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-methylfuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-thiophen-2-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;



N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-bromothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-bromothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-bromothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide;

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-bromothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide;

N-(4-chlorophenyl)-(S)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(5-oxo-1,4-oxazepan-4-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(5-oxo-1,4-oxazepan-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-((S)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-((S)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)-2-phenoxyphenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-3-N-[[4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide;

1-N-[(4-chlorophenyl)]-3-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide;



$$\text{D-N}=\text{C}=\text{O} \quad \text{III}$$

D is as defined in Claim 1.


b) —for the preparation of compounds of formula I in which —X is—  

$$[C(R^4)_2]_nCONR^3[C(R^4)_2]_{n-1}$$

$$\text{---HNR}^3\text{---}[\text{C}(\text{R}^4)_2]_n\text{---Y-T---IV}$$

~~in which  $R^3$ ,  $n$ ,  $Y$  and  $T$  are as defined in Claim 1,~~


~~is reacted with a compound of formula V~~



L is Cl, Br, I or a free or reactively functionally modified OH group, and  $R^1, R^2, R^4$ , D, E, G, W and n are as defined in Claim 1.

c) for the preparation of compounds of formula I in which W is N,

a compound of formula II



in which

$\text{R}^1$ ,  $\text{R}^2$ , E, X, Y and T are as defined in Claim 1, and W is N,

is reacted with a compound of formula VI



in which

D and G are as defined in Claim 1, and L is Cl, Br, I or a free or reactively functionally modified OH group,

and/or

a base or acid of the formula I is converted into one of its salts.

27. (Cancelled):

28. (Cancelled):

29. (Currently Amended): A medicament composition comprising at least one compound according to claim 1 and one or ~~ore~~ more excipients and/or adjuvants.

30. (Previously Presented): A medicament composition comprising at least one compound according to claim 1 and at least one further medicament active ingredient.

31. (Withdrawn): A method for the treatment of a patient suffering from thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases, comprising administering to said patient an effective amount of a compound according to claim 1 .

32. (Previously Presented): A kit comprising separate packs of:

- (a) an effective amount of a compound according to claim 1,  
and
- (b) an effective amount of a further medicament active ingredient.

33. (Withdrawn): A method according to claim 31, further comprising administering to said patient at least one further medicament active ingredient.

34. (Cancelled):

35. (Cancelled):

36. (Cancelled):

37. (Cancelled):

38. (Cancelled):

39. (Cancelled):

40. (Withdrawn; Currently Amended): A medicament composition according to Claim 30, wherein said at least one compound is 1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide and/or a pharmaceutically usable derivative, solvate, salt or stereoisomer stereoisomers thereof,

including mixtures thereof in all ratios, and said at least one further medicament active ingredient is aspirin.

41. (Withdrawn; Currently Amended): A method according to Claim 33, wherein 1-N-[(4-chlorophenyl)-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxy-pyrrolidine-1,2-dicarboxamide and/or pharmaceutically usable derivative, solvate, salt or stereoisomer ~~stereoisomers~~ thereof, including mixtures thereof in all ratios, and aspirin are administered to said patient.

42. (Withdrawn; Currently Amended): A compound according to claim 1, wherein



is pyrrolidine-1,2-diyl,

G is -NH-, and

X is CONH<sub>2</sub>,

Y— is Ar-diyl,

Ar— is ~~phenyl which is substituted or unsubstituted; and~~

T— is ~~pyrrolidin-1-yl, is monosubstituted or disubstituted by carbonyl oxygen.~~

43. (New): A compound according to claim 1, wherein R<sup>1</sup> is H, =O, COOA, OH, OA, NH<sub>2</sub>, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N<sub>3</sub>, ethynyl, vinyl, allyloxy, methylcarbonyloxy, acetamino, or methylsulfonylamino.

44. (New): A compound according to claim 1, wherein R<sup>2</sup> is H, =O, OH, methoxy, or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms.


45. (New): A compound according to claim 1, wherein R<sup>4</sup> is H.

46. (New): A compound according to claim 1, wherein




is pyrrolidine-1,2-diyl.


47. (New): A compound according to claim 1, wherein




48. (New): A compound according to claim 1, wherein




49. (New): A compound according to claim 1, wherein




50. (New): A compound according to claim 1, wherein



51. (New): A compound according to claim 1, wherein




52. (New): A compound according to claim 1, wherein



53. (New): A compound according to claim 1, wherein






54. (New): A compound according to claim 1, wherein



55. (New): A compound according to claim 1, wherein



56. (New): A compound according to claim 1, wherein D is phenyl which is monosubstituted or disubstituted by Hal.

57. (New): A compound according to claim 1, wherein D is pyridyl which is monosubstituted or disubstituted by Hal.

58. (New): A compound according to claim 1, wherein D is thienyl which is monosubstituted or disubstituted by Hal.

59. (New): A compound according to claim 1, wherein G is  $(\text{CH}_2)_n$ .

60. (New): A compound according to claim 1, wherein G is  $(\text{CH}_2)_n\text{NH}$ .